II. CLAIM AMENDMENTS

1. (Currently Amended) A method for the management of a configuration of behavior of a gateway of a <u>telephony</u> service provider according to the wishes of a user accessing a content provider through the gateway of the service provider, wherein:

the gateway has means to access a user-related recording, that includes a description of the behavior that the user wishes the gateway to adopt, as a function of an identifier of the content provider,

the gateway accesses the user-related recording through a first user identifier automatically known on a the network and provided by the service provider, when the user sends a request to the content provider,

the gateway comprises a default recording related to all the users who have not having a user-related recording,

the gateway accesses the user-related recording through a second isolating user identifier, during the reception of a request, concerning the user, for service on the part of the content provider,

the gateway has means to link the first and second identifiers.

2. (Currently Amended) The A-method according to claim 1, wherein a user-related recording associates the first user identifier with at least one content provider identifier, a content provider identifier being associated with a nature for the second isolating user identifier to be given to the content provider when the service provider relays a request from the user to the content provider.

- 3. (Currently Amended) <u>The A</u> method according to claim 2, wherein the nature of the second isolating <u>user</u> identifier is chosen from among at least the group formed by temporary, permanent or personalized identifiers.
- 4. (Currently Amended) The A method according to claim 1, wherein a the user related recording associates the first user identifier with at least one content provider identifier, a content provider identifier being associated with at least one service that the service provider is then authorized to place at the disposal of the content provider.
- 5. (Currently Amended) The A method according to claim 1, wherein athe user related recording comprises a description of a default behavior for the gateway, the default behavior being adopted by the gateway when it is no longer possible to associate the user with a content provider.
- 6. (Currently Amended) <u>TheA</u> method according to claim 1, wherein the user-related recording is recorded in a user database interrogated by the gateway.
- 7. (Currently Amended) <u>TheA</u> method according to claim 6, wherein the user gets connected to the user database to update the recording concerning him.
- 8. (Currently Amended) <u>The</u>A method according to claim 1, wherein the user-related recording is recorded in a terminal of the user, the gateway interrogating this terminal to obtain the user-related recording.

10/664,257 Response to the Office Action mailed 20 March 2007

9. (Currently Amended) TheA method according to claim 1, <u>further comprising locking</u> wherein a default behavior of the gateway is—locked—by a lock that has to be opened explicitly by the user.